



Merseyside Inter Agency Drug Misuse Database

July—September 2008

Sefton DAAT

Quarter 2 2008/09

**Lloyd Baron, Steven Griffith,
Martin Chandler, Jim McVeigh**

www.cph.org.uk/iad

Acknowledgements:

The Authors would like to thank the following for their valuable contributions to the production of this report: Claire Shaw, Ellie McCoy and Paul Duffy.

We would also like to thank the data providers for their efforts in assisting and maintaining the monitoring process.

Contacts:

Martin Chandler
IAD Manager
Centre for Public Health
Faculty of Health & Applied Social Sciences
Sefton John Moores University
Castle House
North Street
L3 2AY

(0151) 231 4531

m.chandler@ljmu.ac.uk

Lloyd Baron
IAD Researcher

(0151) 231 4521

L.R.Baron@ljmu.ac.uk

Contents

	<u>Page</u>
Introduction	1
Arrest Referral	3
Table 1: Individuals assessed, by Gender and Age Group	
Table 2: Year to Date, by Gender and Age Group	
Table 3: Reported Main Drug(s) of Use, by Frequency of Use	
Syringe Exchange Services	5
Agency	
Table 4: Individuals by Gender	
Table 5: Individuals by Gender: Steroid Users omitted	
Table 6: Individuals by Age Group	
Table 7: Individuals by Age Group: Steroid Users omitted	
Table 8: Gender by Age Group of Individuals	
Table 9: Gender by Age Group: Steroid Users omitted	
Table 10: Year to Date, by Gender & Age Group	
Table 11: Year to Date, by Gender & Age Group: Steroid Users omitted	
Table 12: Main Drug of Use for New Agency Syringe Exchange Clients, by Gender	
Table 13: Main Drug of Use, for New Agency Syringe Exchange Clients, by Age Group	
Pharmacy	10
Table 14: Individuals by Gender	
Table 15: Individuals by Age Group	
Table 16: Year to Date, by Gender & Age Group	
Combined	11
Table 17: Individuals in Syringe Exchange, by Gender	
Table 18: Individuals in Syringe Exchange, by Gender: Steroid Users omitted	
Table 19: Individuals in Syringe Exchange, by Age Group	
Table 20: Individuals in Syringe Exchange, by Age Group: Steroid Users omitted	
Table 21: Year to Date, by Gender & Age Group	
Table 22: Total Syringes Provided	

National Drug Treatment Monitoring System (NDTMS) 13

Table 23: Individuals in contact with Treatment Services, by Gender

Table 24: Year to Date, by Gender

Table 25: Individuals in contact with Treatment Services, by Age Group

Table 26: Year to Date, by Age Group

Table 27: Ethnicity of Individuals in Contact with Treatment Services

Table 28: Individuals in contact with Treatment Services, by Main Drug of Use

Connexions 16

Table 29: Individuals in Contact with Connexions, by Gender

Table 30: Year to Date, by Gender

Table 31: Individuals in Contact with Connexions, by Age

Table 32: Year to Date, by Age

Table 33: Individuals in Contact with Connexions by Drug/Alcohol Problem

Table 34: Year to Date, by Drug/Alcohol Problem

Combined Datasets 18

Table 35: Total Problem Drug Users reported to the IAD, by Gender and Age Group

Table 36: Year to Date, by Gender & Age Group

Cross Matched Datasets 19

Fig 1: Crossover between Agency Syringe Exchange and NDTMS datasets

Fig 2: Crossover between Pharmacy Syringe Exchange and NDTMS datasets

Introduction

The Inter Agency Drug Misuse Database (IAD), established by Merseyside Drug (and Alcohol) Action Teams, Merseyside Police and the Public Health Sector (now Centre for Public Health) in 1997, supports the need for local information on drug misuse. In particular the IAD aims to:

- Provide comprehensive reporting of problem drug users' (PDUs') characteristics including a range of demographics and the types of drugs used.
- Reflect levels of service and intervention activity.
- Assist in D(A)AT's (and other responsible bodies) performance management.
- Facilitate the planning and development of services and interventions for PDUs.
- Identify gaps in service provision and delivery, as well as under-served groups as specified by the National Treatment Agency and Department of Health and by the Centre for Public Health, through interrogation of available data.
- Highlight changes in levels, demographics and characteristics of drug user populations.
- Report back to both individual D(A)ATs and service providers in the form of audits and quarterly reports as well as responding to ad hoc requests.
- Provide summary reporting on an annual basis.


To enable the above the IAD collects data from as many agencies in contact with drug users as possible and is continually seeking to expand the range and scope of data providers. Data are currently collected from criminal justice services, needle exchange schemes (both pharmacy and agency-based), the National Drug Treatment Monitoring System (NDTMS) and Connexions (young people).

Data considerations

Analysis of data depends on the provision of attributable information. Each service provider records first and last initials, date of birth and gender, for each individual they record a contact with. The combination of these details provides an identifier (attributor) for each individual (e.g.: HF07/12/1974M). This is a nationally recognised system and allows individuals to be tracked through different service providers and across time whilst retaining an acceptable degree of anonymity. The attributor is essential to avoid double counting of individuals both within and across datasets, as well as enabling us to match across datasets. The D(A)AT referred to is the D(A)AT of contact unless otherwise stated.

The IAD will *only* be reporting attributable data for each dataset. In the past, report deadlines have been missed due to data arriving too late to be cleaned and analysed in time, or more often because the data requires a great deal of cleaning and validation before analysis. These reports are useful only if they can arrive within timelines useful to D(A)ATs (ie: in time for NTA quarterly submissions). For this reason, reports will now be sent out according to a strict timetable, with each quarter's report to be sent in the first week of the third month following the close of the reporting period. Any data that is missing or non-attributable will not be included in the report.

Year-to-Date figures will be provided for the current financial year, and will incorporate updated figures from previous quarters. The figures are calculated by aggregating successive quarterly datasets to omit double counting of those who present to services in each quarter. Year-to-Date data will be the most accurate reflection of annual service activity and will override previous quarterly data.



The Centre for Public Health will continue to work closely with service providers and D(A)ATs in order to improve both the timeliness and quality of monitoring data provided to the IAD. Many service providers are turning to electronic recording of data and it is hoped this will vastly improve the quality of the data as systems improve.

ARREST REFERRAL (AR)**Quarter 2 (2008/09)****Introduction**

Raw data are provided by the Drug Intervention Programme (DIP) Team based at the Centre for Public Health, Sefton John Moores University. The data supplied are for validated contacts within specified D(A)AT areas and are aggregated to one person per D(A)AT area. Individuals may therefore appear more than once within the final dataset if they have been seen in more than one D(A)AT area, but only once for each D(A)AT area within the reporting period.

Table 1: Individuals assessed, by Gender & Age Group

Gender	n	%
Male	153	80.5
Female	37	19.5
Age Group		
Under 18	0	0.0
18-19	19	10.0
20-24	31	16.3
25-29	30	15.8
30-34	38	20.0
35-39	29	15.3
40-44	24	12.6
45+	19	10.0
Total	190	100

Table 2: Year to Date, by Gender & Age Group

Age Group	Gender				Total in Age Group	
	Male		Female			
	n	%	n	%	n	%
Under 18	0	0.0	0	0.0	0	0.0
18-19	34	10.5	4	4.8	38	9.3
20-24	60	18.5	10	11.9	70	17.2
25-29	56	17.3	16	19.0	72	17.6
30-34	51	15.7	16	19.0	67	16.4
35-39	59	18.2	16	19.0	75	18.4
40-44	33	10.2	14	16.7	47	11.5
45+	31	9.6	8	9.5	39	9.6
Total	324	100	84	100	408	100

Table 3: Reported Main Drug(s) of Use, by Frequency of Use

Drug of Use	Daily	Weekly
Amphetamines	0	1
Benzodiazepines	11	1
Cannabis	25	5
Crack	39	24
Cocaine	7	31
Ecstasy	0	0
Heroin	64	17
Methadone	14	0
Methamphetamine	1	0
Subutex	3	0
Other	0	0

NB: The complexity of the drug profiles reported through arrest referral is such that we have decided the best way of reporting the data is to provide figures for the number of people reporting Daily or Weekly use of each drug. Where “Main drug” is provided in the original data it does not always match the other substances reported as being used daily; consequently, this method of reporting should provide a more accurate picture of drug use as reported through Arrest Referral rather than simply stating the “Main Drug”. However it should be noted that some people may report several drugs being used and will therefore be counted in the figures for each drug they report. For this reason totals are not provided.

SYRINGE EXCHANGE SERVICES

Quarter 2 (2008/09)

Introduction

Data are collected directly from syringe exchange providers. Analysis of syringe exchange data allows performance monitoring of harm reduction services at both D(A)AT and service provider level.

AGENCY SYRINGE EXCHANGE

Table 4: Individuals by Gender

New Clients	n	%
Male	73	90.1
Female	8	9.9
<i>Total</i>	81	100
All Clients		
Male	239	87.2
Female	35	12.8
<i>Total</i>	274	100

Table 5: Individuals by Gender: Steroids Users Omitted

New Clients	n	%
Male	40	83.3
Female	8	16.7
<i>Total</i>	48	100
All Clients		
Male	171	83.0
Female	35	17.0
<i>Total</i>	206	100

Table 6: Individuals by Age Group

Age Group	New Clients		All Clients	
	n	%	n	%
Under 18	1	1.2	1	>1
18-19	3	3.7	6	2.2
20-24	17	21.0	33	12.0
25-29	19	23.5	50	18.2
30-34	18	22.2	48	17.5
35-39	8	9.9	56	20.4
40-44	10	12.3	49	17.9
45+	5	6.2	31	11.3
Total	81	100	274	100

Table 7: Individuals by Age Group: Steroid Users omitted

Age Group	New Clients		All Clients	
	n	%	n	%
Under 18	0	0.0	0	0.0
18-19	1	2.1	3	1.5
20-24	7	14.6	17	8.3
25-29	7	14.6	30	14.6
30-34	15	31.3	40	19.4
35-39	7	14.6	49	23.8
40-44	7	14.6	43	20.9
45+	4	8.3	24	11.7
Total	48	100	206	100

Table 8: Gender by Age Group of Individuals

Age Group	Gender			
	Male		Female	
	n	%	n	%
Under 18	1	>1	0	0.0
18-19	6	2.5	0	0.0
20-24	30	12.6	3	8.6
25-29	46	19.2	4	11.4
30-34	40	16.7	8	22.9
35-39	49	20.5	7	20.0
40-44	41	17.2	8	22.9
45+	26	10.9	5	14.3
Total	239	100	35	100

Table 9: Gender by Age Group: Steroid Users omitted

Age Group	Gender			
	Male		Female	
	n	%	n	%
Under 18	0	0.0	0	0.0
18-19	3	1.8	0	0.0
20-24	14	8.2	3	8.6
25-29	26	15.2	4	11.4
30-34	32	18.7	8	22.9
35-39	42	24.6	7	20.0
40-44	35	20.5	8	22.9
45+	19	11.1	5	14.3
Total	171	100	35	100

Table 10: Year to Date, by Gender & Age Group

Age Group	Gender				Total in Age Group	
	Male		Female			
	n	%	n	%	n	%
Under 18	1	>1	0	0.0	1	>1
18-19	6	2.4	0	0.0	6	2.1
20-24	31	12.2	3	8.3	34	11.7
25-29	48	18.9	4	11.1	52	17.9
30-34	45	17.7	8	22.2	53	18.3
35-39	51	20.1	7	19.4	58	20.0
40-44	45	17.7	8	22.2	53	18.3
45+	27	10.6	6	16.7	33	11.4
Total	254	100	36	100	290	100

Table 11: Year to Date, by Gender & Age Group: Steroid Users Omitted

Age Group	Gender				Total in Age Group	
	Male		Female			
	n	%	n	%	n	%
Under 18	0	0.0	0	0.0	0	0.0
18-19	3	1.6	0	0.0	3	1.4
20-24	15	8.2	3	8.3	18	8.3
25-29	27	14.8	4	11.1	31	14.2
30-34	34	18.7	8	22.2	42	19.3
35-39	44	24.2	7	19.4	51	23.4
40-44	39	21.4	8	22.2	47	21.6
45+	20	11.0	6	16.7	26	11.9
Total	182	100	36	100	218	100

Table 12: Main Drug of Use for New Agency Syringe Exchange Clients, by Gender

Drug of Use	Gender			
	Male		Female	
	n	%	n	%
Amphetamines	0	0.0	0	0.0
Benzodiazepines	0	0.0	0	0.0
Cocaine	0	0.0	0	0.0
Crack	0	0.0	0	0.0
Heroin	11	15.1	3	37.5
Methadone	0	0.0	1	12.5
Steroids	33	45.2	0	0.0
Other	29	39.7	4	50.0
Total	73	100	8	100

Please Note: Due to changes in reporting methods we will now only report drug of use for new clients. Information on drug of use for all clients is available on request.

Table 13: Main Drug of Use for New Agency Syringe Exchange Clients, by Age Group

Age Group	Ampheta- mine		Benzodi- azepine		Cocaine		Crack		Heroin		Methadone		Steroids	
	n	%	n	%	n	%	n	%	n	%	n	%	n	%
Under 18	-	-	-	-	-	-	-	-	0	0.0	0	0.0	1	3.0
18-19	-	-	-	-	-	-	-	-	0	0.0	0	0.0	2	6.1
20-24	-	-	-	-	-	-	-	-	0	0.0	0	0.0	10	30.3
25-29	-	-	-	-	-	-	-	-	1	7.1	0	0.0	12	36.4
30-34	-	-	-	-	-	-	-	-	4	28.6	1	100	3	9.1
35-39	-	-	-	-	-	-	-	-	4	28.6	0	0.0	1	3.0
40-44	-	-	-	-	-	-	-	-	4	28.6	0	0.0	3	9.1
45+	-	-	-	-	-	-	-	-	1	7.1	0	0.0	1	3.0
Total*	-	-	-	-	-	-	-	-	14	100	1	100	33	100

* % Totals are by Drug, not Age Group.

PHARMACY SYRINGE EXCHANGE

Table 14: Individuals by Gender

New Clients	n	%
Male	215	88.5
Female	28	11.5
<i>Total</i>	243	100
All Clients		
Male	475	86.7
Female	73	13.3
<i>Total</i>	548	100

Table 15: Individuals by Age Group

Age Group	New Clients		All Clients	
	n	%	n	%
Under 18	1	>1	1	>1
18-19	4	1.6	5	>1
20-24	18	7.4	35	6.4
25-29	36	14.8	78	14.2
30-34	58	23.9	110	20.1
35-39	49	20.2	135	24.6
40-44	48	19.8	111	20.3
45+	29	11.9	73	13.3
<i>Total</i>	243	100	548	100

Table 16: Year to Date, by Gender & Age Group

Age Group	Gender				Total in Age Group	
	Male		Female			
	n	%	n	%	n	%
Under 18	4	>1	0	0.0	4	>1
18-19	11	1.4	0	0.0	11	1.2
20-24	63	7.9	2	1.6	65	7.1
25-29	115	14.5	23	18.7	138	15.0
30-34	141	17.7	35	28.5	176	19.2
35-39	176	22.1	33	26.8	209	22.8
40-44	163	20.5	17	13.8	180	19.6
45+	122	15.3	13	10.6	135	14.7
<i>Total</i>	795	100	123	100	918	100

COMBINED PHARMACY AND AGENCY SYRINGE EXCHANGE

Analyses here are based on an aggregated combination of Agency and Pharmacy-based datasets for the reporting period. Data are aggregated by attributor and D(A)AT to one person per D(A)AT area.

Table 17: Individuals in Syringe Exchange, by Gender

New Clients	n	%
Male	278	88.8
Female	35	11.2
<i>Total</i>	313	100
All Clients		
Male	689	86.8
Female	105	13.2
Total	794	100

Table 18: Individuals in Syringe Exchange, by Gender: Steroid Users Omitted*

New Clients	n	%
Male	245	87.5
Female	35	12.5
<i>Total</i>	280	100
All Clients		
Male	621	85.5
Female	105	14.5
Total	726	100

*Only known steroid users, based on Agency SES data, have been omitted.

Table 19: Individuals in Syringe Exchange, by Age Group

Age Group	New Clients		All Clients	
	n	%	n	%
Under 18	2	>1	2	>1
18-19	7	2.2	11	1.4
20-24	33	10.5	66	8.3
25-29	55	17.6	127	16.0
30-34	73	23.3	149	18.8
35-39	52	16.6	181	22.8
40-44	57	18.2	157	19.8
45+	34	10.9	101	12.7
Total	313	100	794	100

Table 20: Individuals in Syringe Exchange by Age Group: Steroid Users Omitted

Age Group	New Clients		All Clients	
	n	%	n	%
Under 18	1	>1	1	>1
18-19	5	1.8	8	1.1
20-24	23	8.2	50	6.9
25-29	43	15.4	107	14.7
30-34	70	25.0	141	19.4
35-39	51	18.2	174	24.0
40-44	54	19.3	151	20.8
45+	33	11.8	94	12.9
Total	280	100	726	100

Table 21: Year to Date, by Gender & Age Group

Age Group	Gender				Total in Age Group	
	Male		Female			
	n	%	n	%	n	%
Under 18	5	>1	0	0.0	5	>1
18-19	17	1.7	0	0.0	17	1.4
20-24	92	9.0	5	3.2	97	8.3
25-29	161	15.8	27	17.4	188	16.0
30-34	179	17.6	41	26.5	220	18.8
35-39	215	21.1	39	25.2	254	21.7
40-44	204	20.0	25	16.1	229	19.5
45+	145	14.2	18	11.6	163	13.9
Total	1,018	100	155	100	1,173	100

Table 22: Total Syringes Provided

	Agency	Pharmacy	Total (Q)	Year to Date
Barrels	22,563	28,042	50,605	81,688

NB: We will no longer be reporting needle returns as it is not possible to accurately calculate them from the data available. Total Syringes include exchanges by non-attributable individuals.

National Drug Treatment Monitoring System (NDTMS)

Quarter 2 (2008/09)

Background

The NDTMS is the official method for measuring the extent and nature of structured drug treatment in England and Wales. The system is commissioned by the NTA and is operated through nine regional centres – corresponding to the nine government offices for the regions.

Data here are aggregated to one individual per D(A)AT. Individuals presenting in more than one D(A)AT within the quarter's time period will therefore be represented more than once in the original data. The D(A)AT referred to is D(A)AT of treatment.

New Clients

Figures presented here for "new" clients are calculated using the triage date. Those individuals triaged within the reporting period are taken as new clients for this report. However, it should be noted that these individuals may have been triaged, or in contact with treatment services, before this period.

Table 23: Individuals in Contact with Treatment Services, by Gender

New Clients	n	%
Male	197	69.1
Female	88	30.9
<i>Total</i>	285	100
All Clients		
Male	1,138	70.9
Female	467	29.1
<i>Total</i>	1,605	100

Table 24: Year to Date, by Gender

New Clients	n	%
Male	376	72.9
Female	140	27.1
<i>Total</i>	516	100
All Clients		
Male	1,149	71.0
Female	469	29.0
<i>Total</i>	1,618	100

Table 25: Individuals in Contact with Treatment Services, by Age Group

Age Group	New Clients		All Clients	
	n	%	n	%
Under 18	36	12.6	146	9.1
18-19	8	2.8	30	1.9
20-24	21	7.4	138	8.6
25-29	40	14.0	200	12.5
30-34	48	16.8	316	19.7
35-39	51	17.9	382	23.8
40-44	51	17.9	233	14.5
45+	30	10.5	160	10.0
Total	285	100	1,605	100

Table 26: Year to Date, by Age Group

Age Group	New Clients		All Clients	
	n	%	n	%
Under 18	59	11.4	147	9.1
18-19	16	3.1	32	2.0
20-24	41	7.9	137	8.5
25-29	74	14.3	205	12.7
30-34	80	15.5	324	20.0
35-39	98	19.0	383	23.7
40-44	93	18.0	230	14.2
45+	55	10.7	160	9.9
Total	516	100	1,618	100

Table 27: Ethnicity of Individuals in Contact with Treatment Services

Ethnicity	New Clients		All Clients	
	n	%	n	%
White British	279	97.9	1,564	97.4
White Irish	0	0.0	6	>1
Other White	1	>1	15	>1
White & Black Caribbean	0	0.0	0	0.0
Other Black	1	>1	7	>1
White & Asian	0	0.0	0	0.0
Other Asian	0	0.0	1	>1
Caribbean	0	0.0	0	0.0
Chinese	1	>1	1	>1
Other	0	0.0	2	>1
Unknown	3	1.1	9	>1
Total	285	100	1,605	100

Table 28: Individuals in Contact with Treatment Services, by Main Drug of Use

Drug of Use	New Clients		All Clients	
	n	%	n	%
Heroin	138	48.4	1,016	63.3
Methadone	7	2.5	90	5.6
Other Opiates	5	1.8	18	1.1
Benzodiazepine	3	1.1	11	>1
Amphetamines	3	1.1	11	>1
Cocaine	47	16.5	177	11.0
Crack	24	8.4	55	3.4
Ecstasy	2	>1	7	>1
Cannabis	51	17.9	199	12.4
Prescription Drugs	2	>1	7	>1
Other/Unknown	3	>1	14	>1
Total	285	100	1,605	100

CONNEXIONS

Quarter 2 (2008/09)

Background

Connexions provide a support service for young people, aged 13-19. The Greater Merseyside Connexions Partnership provides data presented here.

Table 29: Individuals in Contact with Connexions, by Gender

Gender	n	%
Male	50	58.1
Female	36	41.9
Total	86	100

Table 30: Year to Date, by Gender

Gender	n	%
Male	58	58.6
Female	41	41.4
Total	99	100

Table 31: Individuals in Contact with Connexions, by Age

Age Group	n	%
16	23	26.7
17	29	33.7
18	27	31.4
19	7	8.1
Total	86	100

Table 32: Year to Date, by Age

Age Group	n	%
16	23	23.2
17	30	30.3
18	29	29.3
19	17	17.2
Total	99	100

Table 33: Individuals in Contact with Connexions by Drug/Alcohol Problem

Substance	n	%
Alcohol/Other*	18	20.9
Drugs	68	79.1
Total	86	100

*"Other" is generally used to refer to solvents although this is not necessarily always the case.

Table 34: Year to Date, by Drug/Alcohol problem

Substance	n	%
Alcohol/Other*	20	20.2
Drugs	79	79.8
Total	99	100

*"Other" is generally used to refer to solvents although this is not necessarily always the case.

COMBINED DATASETS

Quarter 2 (2008/09)

Introduction

Data presented here are drawn from a combination of datasets relating to Arrest Referrals, Probation, Syringe Exchange (Agency and Pharmacy), NDTMS and Connexions. The combined data are aggregated on attributor and D(A)AT area of intervention (except Probation, which is based on residence), to produce overall figures for numbers of individuals in contact with services reporting to the IAD. Figures presented here will not necessarily reflect the combined totals of data presented earlier as duplicate attributors are removed. These figures should not be taken as a measure of prevalence of problem drug users, but reflects the total number of problem drug users in contact with a range of agencies. Further information on the processes of data manipulation, aggregation and analysis is available from the IAD Manager.

Table 35: Total Problem Drug Users reported to the IAD, by Gender and Age Group

Gender	n	%
Male	1,812	75.7
Female	582	24.3
Age Group		
Under 18	185	7.7
18-19	93	3.9
20-24	219	9.1
25-29	314	13.1
30-34	436	18.2
35-39	524	21.9
40-44	368	15.4
45+	255	10.7
Total	2,394	100

Table 36: Year to Date, by Gender and Age Group

Age Group	Gender				Total in Age Group	
	Male		Female			
	n	%	n	%	n	%
Under 18	138	6.2	52	8.0	190	6.6
18-19	101	4.5	27	4.1	128	4.4
20-24	233	10.4	46	7.0	279	9.6
25-29	308	13.8	96	14.7	404	14.0
30-34	384	17.1	133	20.4	517	17.9
35-39	465	20.8	146	22.4	611	21.1
40-44	344	15.4	95	14.5	439	15.2
45+	267	11.9	58	8.9	325	11.2
Total	2,240	100	653	100	2,893	100

CROSS-MATCHED DATASETS

Quarter 2 (2008/09)

Data are shown for the crossover between each type of Syringe Exchange and NDTMS, separately, during the current reported quarter. For the purposes of this analysis, known steroid users were removed as they are less likely to be accessing structured drug treatment.

For methodological reasons the crossover between all three datasets will no longer be reported. Further information is available from the IAD manager if required.

NB: Numbers in brackets refer to the total reported for that service type, with steroid users omitted. These include the numbers appearing on the crossover sections. Analyses for the crossover areas are based on D(A)AT of Syringe Exchange site.

Fig 1: Crossover between Agency Syringe Exchange and NDTMS datasets




Fig 2: Crossover between Pharmacy Syringe Exchange and NDTMS datasets

